

AUTO SAFETY FILMS

PS - SCRATCH RESISTANT

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY -
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION -
REDUCES GLARE - UV PROTECTION

High Quality - Cool Performance

www.xsunfilms.com
sales@xsunfilms.com
3381 NW 97th Ave
MIAMI, FLORIDA - 33172, USA
xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978
Phone Int'l: 001 305 418 9701
Fax: 001 305 418 9827
001 305 608 5976

ABOUT US

Xsun Window Films was established in Miami, Florida, USA in 1998. We have been consistently and successfully servicing customers for over 20 years in the USA and worldwide supplying high performance window films with optimal durability and optical clarity.

Xsun Window Films are manufactured in the USA using the top quality globally sourced raw materials at the world's topmost & leading, ISO certified, state of the art manufacturing facilities with latest technologies.

Xsun Window Films products enhance energy efficiency, comfort, aesthetics, privacy & style. The films protect car paint and provides protection from sun damage & UV rays, reduces heat & glare, provides safety and security thereby meeting the diverse demands of the global marketplace for the best quality window films.

Xsun Window Films product portfolio includes a complete line **of Automotive window films, Ceramic IR films, PPF Paint protection films, Architectural-Residential & Commercial Films, Privacy, Decorative, Colored films, Safety & security, Anti-graffiti, Car wrap films and Tint & PPF installation tools & accessories.**

Xsun Window Films is committed to provide excellent customer service in every interaction.

High Quality - Cool Performance

MADE IN USA

XSun®
WINDOW FILMS

AUTO SAFETY FILMS

- In 4 mil, 7 mil & 8 mil thickness.
- Clear & Charcoal Shade in 5,20,35,50 & 70 %
- Nonmetal, Non reflective.
- Total Solar Energy Rejection (TSER) up to 46%.
- Blocks up to 99% of the harmful UV rays, preventing overexposure.
- Provides protection from sun heats and ultraviolet (UV) rays.
- Increase privacy and security.
- Helps hold glass fragments in place when glass is shattered.
- Additional security by increase the deterrence of glass breakage.
- Clear Communication, Signal- friendly for GPS, Phone and other devices.
- Reduces Glare, Enhancing visibility & reducing eyestrain.
- Helps protect interiors from fading.

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

AUTO SAFETY FILMS

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

4 MIL CLEAR	CLEAR	PS - SRC
7 MIL CLEAR	CLEAR	PS - SRC
4 MIL CHARCOAL	05	PS - SRC
4 MIL CHARCOAL	20	PS - SRC
4 MIL CHARCOAL	35	PS - SRC
4 MIL CHARCOAL	50	PS - SRC
4 MIL CHARCOAL	70	PS - SRC
8 MIL CHARCOAL	20	PS - SRC
8 MIL CHARCOAL	35	PS - SRC
8 MIL CHARCOAL	50	PS - SRC

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

4 MIL CLEAR

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	89%
Visible Light Reflectance	9%
Solar Transmittance	82%
Solar Reflectance	8%
Solar Absorbance	10%
U-VALUE	1.07
Shading Coefficient	0.98
Solar Heat Gain Coefficient	0.85
Glare Reduction	1%
UV Rejection	99%
Total Solar Energy Rejected	15%

PHYSICAL PROPERTIES

Tensile Strength (ib/Sq. Inch)	34900 psi
Break Strength (ib/Sq. Inch)	136
% Elongation	>100%
Peel Strength (g/Inch)	>2720 g/inch
Puncture Strength (ib)	93 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

7 MIL CLEAR

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	89%
Visible Light Reflectance	9%
Solar Transmittance	82%
Solar Reflectance	8%
Solar Absorbance	10%
U-VALUE	1.07
Shading Coefficient	0.97
Solar Heat Gain Coefficient	0.85
Glare Reduction	1%
UV Rejection	99%
Total Solar Energy Rejected	15%

PHYSICAL PROPERTIES

Tensile Strength (ib/Sq. Inch)	32260 psi
Break Strength (ib/Sq. Inch)	216
% Elongation	>100%
Peel Strength (g/Inch)	>2720 g/inch
Puncture Strength (ib)	149 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

4 MIL CHARCOAL - 05

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	5%
Visible Light Reflectance	INT: 5% EXT: 6%
Solar Transmittance	31%
Solar Reflectance	7%
Solar Absorbance	62%
U-VALUE	1.09
Shading Coefficient	0.67
Glare Reduction	94%
UV Rejection	99%
Total Solar Energy Rejected	54%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	33600 psi
Break Strength (ib/Sq. Inch)	134
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2750 g/inch
Puncture Strength (ib/Sq. Inch)	103 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

4 MIL CHARCOAL - 20

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	20%
Visible Light Reflectance	INT: 5% EXT: 6%
Solar Transmittance	46%
Solar Reflectance	7%
Solar Absorbance	47%
U-VALUE	1.09
Shading Coefficient	0.67
Glare Reduction	73%
UV Rejection	99%
Total Solar Energy Rejected	40%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	33600 psi
Break Strength (ib/Sq. Inch)	134
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2750 g/inch
Puncture Strength (ib/Sq. Inch)	103 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

4 MIL CHARCOAL - 35

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	38%
Visible Light Reflectance	INT: 5% EXT: 6%
Solar Transmittance	52%
Solar Reflectance	7%
Solar Absorbance	41%
U-VALUE	1.09
Shading Coefficient	0.71
Glare Reduction	57%
UV Rejection	99%
Total Solar Energy Rejected	37%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	33600 psi
Break Strength (ib/Sq. Inch)	134
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2750 g/inch
Puncture Strength (ib/Sq. Inch)	103 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

4 MIL CHARCOAL - 50

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	50%
Visible Light Reflectance	INT: 5% EXT: 5%
Solar Transmittance	60%
Solar Reflectance	7%
Solar Absorbance	33%
U-VALUE	1.09
Shading Coefficient	0.79
Glare Reduction	43%
UV Rejection	99%
Total Solar Energy Rejected	30%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	33600 psi
Break Strength (ib/Sq. Inch)	134
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2750 g/inch
Puncture Strength (ib/Sq. Inch)	103 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

4 MIL CHARCOAL - 70

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	70%
Visible Light Reflectance	INT: 5% EXT: 6%
Solar Transmittance	65%
Solar Reflectance	7%
Solar Absorbance	28%
U-VALUE	1.09
Shading Coefficient	0.84
Glare Reduction	24%
UV Rejection	99%
Total Solar Energy Rejected	26%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	33600 psi
Break Strength (ib/Sq. Inch)	134
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2750 g/inch
Puncture Strength (ib/Sq. Inch)	103 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

8 MIL CHARCOAL - 20

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	17%
Visible Light Reflectance	INT: 6% EXT: 5%
Solar Transmittance	44%
Solar Reflectance	7%
Solar Absorbance	49%
U-VALUE	1.03
Shading Coefficient	0.66
Glare Reduction	80%
UV Rejection	99%
Total Solar Energy Rejected	43%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	32500 psi
Break Strength (ib/Sq. Inch)	269
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2720 g/inch
Puncture Strength (ib/Sq. Inch)	173 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

8 MIL CHARCOAL - 35

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	38%
Visible Light Reflectance	INT: 5% EXT: 5%
Solar Transmittance	56%
Solar Reflectance	7%
Solar Absorbance	37%
U-VALUE	1.03
Shading Coefficient	0.76
Glare Reduction	60%
UV Rejection	99%
Total Solar Energy Rejected	34%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	32500 psi
Break Strength (ib/Sq. Inch)	269
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2750 g/inch
Puncture Strength (ib/Sq. Inch)	173 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

MADE IN USA

XSun® WINDOW FILMS

8 MIL CHARCOAL - 50

AUTO SAFETY FILMS - PS SRC

IMPROVES SAFETY & SECURITY - INCREASES PRIVACY
IMPROVES GLASS SHATTER RESISTANCE - SOLAR PROTECTION
REDUCES GLARE - UV PROTECTION - PS - SCRATCH RESISTANT

Visible Light Transmittance	52%
Visible Light Reflectance	INT: 5% EXT: 5%
Solar Transmittance	62%
Solar Reflectance	7%
Solar Absorbance	31%
U-VALUE	1.03
Shading Coefficient	0.81
Glare Reduction	48%
UV Rejection	99%
Total Solar Energy Rejected	29%
PHYSICAL PROPERTIES	
Tensile Strength (ib/Sq. Inch)	32500 psi
Break Strength (ib/Sq. Inch)	269
% Elongation	>100
Peel Strength (ib/Sq. Inch)	>2750 g/inch
Puncture Strength (ib/Sq. Inch)	173 lbs

High Quality - Cool Performance

www.xsunfilms.com

MADE IN USA

From globally sourced materials. All values as applied to 1/4 Inch clear plate glass.
Tests are representative of actual production and may vary from lot to lot.

XSun®
WINDOW FILMS
MADE IN USA


High Quality - Cool Performance

HABLAMOS ESPAÑOL

DELIVERY IN USA

BUSINESS DAYS IN TRANSIT

■ 1 DAY ■ 2 DAY




ALASKA HAWAII



WORLDWIDE DELIVERY

BUSINESS DAYS IN TRANSIT

■ 1 DAY ■ 2 DAY ■ 3 to 4 DAYS ■ 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR - CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES

SHOP ONLINE

www.xsunfilms.com
sales@xsunfilms.com

3381 NW 97th Ave
MIAMI, FLORIDA - 33172, USA
1 877 XSUN XSUN: 1 877 978 6 978
Phone Int'l: 001 305 418 9701
Fax: 001 305 418 9827
001 305 608 5976